

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024 Version number 4

Revision: 02.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Chromo Speed

Article number: 16110060, 16110200, 16110003

UFI: **GM00-Q0M0-Y00E-F7U6**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Processing aid

For the production of dental prostheses in the dental laboratory For the production of a refractory mould

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Klasse 4 Dental GmbH

Bismarckstr. 21

D-86159 Augsburg

Tel.: +49 821 608914-0

Fax.: +49 821 608914-10

www.klasse4.de

info@klasse4.de

1.4 Emergency telephone number:

Tel.: +49 821 608914-0, Monday to Friday 8.00 am to 4.15 pm MEZ in German and English language

Please also contact the national emergency numbers

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Quartz (SiO₂)

crystalite

Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements P260 Do not breathe dust.

P284 [In case of inadequate ventilation] wear respiratory protection.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Information pertaining to particular dangers for man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

— GB —

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 1)

Contains quartz. Do not inhale dust.
May cause lung injury (Silicosis/lung cancer)
Contains cristobalite. Do not inhale dust.
May cause lung injury (Silicosis/lung cancer)

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Blend of quartz and cristobalite powder, ammonium phosphate and magnesium oxide.

Dangerous components:

CAS: 14808-60-7	Quartz (SiO ₂)	50-100%
EINECS: 238-878-4	STOT RE 2, H373	
CAS: 14464-46-1	cristobalite	10-<25%
EINECS: 238-455-4	STOT RE 2, H373	
CAS: 14808-60-7	Quartz (SiO ₂)	10-<25%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 1309-48-4	magnesium oxide	2.5-<10%
EINECS: 215-171-9	substance with a Community workplace exposure limit	

Additional information

This product contains more than 10% quartz / cristobalite (fine fraction, alveolar), which is classified as STOT RE1.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation : Supply fresh air; consult doctor in case of symptoms.

After skin contact :

Instantly rinse with water.

The product is not skin irritating.

After eye contact : Rinse opened eye for 15 minutes under running water.

After swallowing : In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO₂, extinguishing powder or water jet. Fight larger fires with foam.

5.2 Special hazards arising from the substance or mixture

Fire can cause release of :

Ammonia (NH₃)

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Wear protective clothing.

Use breathing protection against the effects of fumes/dust/aerosol.

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 2)

- . **6.2 Environmental precautions:** No special measures required.
- . **6.3 Methods and material for containment and cleaning up:**
Collect mechanically.
Dispose of contaminated material as waste according to section 13.
- . **6.4 Reference to other sections**
See section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling**
Prevent formation of dust.
Ensure that suitable extractors are available on processing machines
Wear breathing protection when decanting larger quantities without extractor facilities.
- . **Information about protection against explosions and fires:**
The product is not flammable
No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage**
- . **Requirements to be met by storerooms and containers:** No special requirements.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:** Store in cool, dry conditions in well sealed containers.
- . **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- . **8.1 Control parameters**
- . **Components with critical values that require monitoring at the workplace:**
- 14808-60-7 Quartz (SiO₂)**
BOELV (European Union) Long-term value: 0.1* mg/m³
*respirable fraction
- 14808-60-7 Quartz (SiO₂)**
BOELV (European Union) Long-term value: 0.1* mg/m³
*respirable fraction
- 1309-48-4 magnesium oxide**
WEL (Great Britain) Long-term value: 10* 4** mg/m³
(as Mg) *inhalable dust **fume and respirable dust
- . **Additional information:**
The lists that were valid during compilation were used as a basis.
The general dust limit value of 1.25 mg / m³ (alveolar fraction) and 10 mg / m³ (respirable fraction) must be observed (TRGS 900, 2015).
- . **8.2 Exposure controls**
- . **Personal protective equipment**
- . **General protective and hygienic measures**
Vacuum clean contaminated clothing. Do not blow or brush off contamination. The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Wash hands during breaks and at the end of the work.
Store protective clothing separately.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 3)

- . **Breathing equipment:**
Use breathing protection in case of insufficient ventilation.
Filter P2.
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- . **Protection of hands:** Wear gloves in a suitable material.
- . **Material of gloves**
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
Natural rubber, NR
Chloroprene rubber, CR
- . **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- . **Eye protection:**
Tightly sealed safety glasses (DIN 58211, EN 166)
Safety glasses (DIN 58211, EN 166)
- . **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

. **9.1 Information on basic physical and chemical properties**

. **General Information**

. **Appearance:**

- | | |
|---|-----------------------------------|
| . Form: | Solid |
| . Colour: | Whitish |
| . Smell: | Odourless |
| . Odour threshold: | not applicable |
| . pH-value at 20 °C: | 6 (Suspension) |
| . Change in condition | |
| . Melting point/freezing point: | >1,400 °C |
| . Initial boiling point and boiling range: | not applicable |
| . Flash point: | Not applicable |
| . Inflammability (solid, gaseous) | not applicable |
| . Auto-ignition temperature: | not applicable |
| . Decomposition temperature: | not determined |
| . Explosive properties: | Product is not explosive. |
| . Critical values for explosion: | |
| . Lower: | not applicable |
| . Upper: | not applicable |
| . Dust explosion class: | |
| . Oxidising properties | none |
| . Steam pressure: | Not applicable.
not applicable |
| . Density at 20 °C | 1.15 g/cm ³ |
| . Evaporation rate | not applicable |

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 4)

- . **Solubility in / Miscibility with Water:** Insoluble
- . **Partition coefficient: n-octanol/water:** not determined
- . **Viscosity:**
 - dynamic:** Not applicable.
not applicable
 - kinematic:** Not applicable.
not applicable
- . **Solvent content:**
 - Water:** 0.0 %
 - Solids content:** 100.0 %
- . **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- . **10.1 Reactivity** Stable at ambient temperature
- . **10.2 Chemical stability**
 - . **Thermal decomposition / conditions to be avoided:** none
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** Alkali
- . **10.6 Hazardous decomposition products:** At preheating temperature (250-300°C) slight odour like ammonia.

SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
 - . **Acute toxicity** Based on available data, the classification criteria are not met.
 - . **LD/LC50 values that are relevant for classification:**
 - 7722-76-1 ammonium dihydrogenorthophosphate**
 - Oral LD50 >2,001 mg/kg (rat)
 - Dermal LD50 >5,001 mg/kg (rat)
 - . **Primary irritant effect:**
 - . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - . **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
 - . **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - . **Subacute to chronic toxicity:**
 - Do not breathe dust.
 - Harmful: possible risk of irreversible effects through inhalation.
 - . **Additional toxicological information:**
 - . **Repeated dose toxicity**
 - Contact with skin and eyes may cause mechanical irritation. Prolonged and/or intense exposure to dust containing alveolar crystalline silica may cause silicosis.
 - . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** No further relevant information available.
 - . **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - . **Carcinogenicity** Based on available data, the classification criteria are not met.
 - . **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - . **STOT-single exposure** Based on available data, the classification criteria are not met.
 - . **STOT-repeated exposure**
 - Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 5)

- . **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:**
- . **7722-76-1 ammonium dihydrogenorthophosphate**
- LC50 (96 h) (static) >100 mg/L (rainbow trout)
- NOEC (static) 85.9 mg/L (rainbow trout)
- . **12.2 Persistence and degradability** No further relevant information available.
- . **Other information:**
- Inorganic salts are basically not biodegradable.
- Easy elimination possible by flocculation or adsorption by sludge.
- . **12.3 Bioaccumulative potential** Does not accumulate in organisms
- . **12.4 Mobility in soil** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Other information:**
- No AOX
- No VOC (0%) according to EC-directive 1999/13/EC
- . **Additional ecological information:**
- . **General notes:**
- Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- . **13.1 Waste treatment methods**
- . **Recommendation**
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Must be specially treated in adherence to official regulations.
- . **Uncleaned packaging:**
- . **Recommendation:**
- Dispose of packaging according to regulations on the disposal of packagings.
- Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
- . **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- . **14.1 UN-Number**
- . **ADR/RID/ADN, IMDG, IATA** Void
- . **14.2 UN proper shipping name**
- . **ADR/RID/ADN, IMDG, IATA** Void
- . **14.3 Transport hazard class(es)**
- . **ADR/RID/ADN, IMDG, IATA**
- . **Class** Void
- . **14.4 Packing group**
- . **ADR/RID/ADN, IMDG, IATA** Void
- . **14.5 Environmental hazards:** Not applicable.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 6)

- . **14.6 Special precautions for user** Not applicable.
- . **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- . **Transport/Additional information:** Not dangerous according to the above regulations.
- . **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- . **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- . **Poisons Act**
- . **Regulated explosives precursors**
None of the ingredients is listed.
- . **Regulated poisons**
None of the ingredients is listed.
- . **Reportable explosives precursors**
None of the ingredients is listed.
- . **Reportable poisons**
None of the ingredients is listed.
- . **Directive 2012/18/EU**
- . **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- . **National regulations**
- . **Information about limitation of use:** Employment restrictions concerning young persons must be observed.
- . **Other regulations, limitations and prohibitive regulations**
The general dust exposure limit of 1.25 mg/m³, measured as alveolic part has to be observed (German TRGS 900, 2015).
TRGS 559 - Mineral dust
- . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . **Relevant phrases**
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.
- . **Contact:**
Klasse 4 Dental GmbH, info@klasse4.de
- . **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. on page 8)

GB

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2024

Version number 4

Revision: 02.05.2024

Trade name Chromo Speed

(Contd. of page 7)

- . **Sources:** source ECHA: European Chemicals Agency, <http://echa.europa.eu/>
 - . * **Data compared to the previous version altered.**
-

—GB—