

## **Material Safety Data Sheet** **according to decree (EG) No. 1272 / 2008**

Revision: 16  
Revision Date: 27.03.2019

Page 1 of 10

### **1. Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product name (product identifiers):**

Light curing impression tray material  
Order number: 19100050

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against:**

##### **Intendes purpose:**

Making of individual impression- and functional trays  
Occlusal registration  
Precized impression for part- or totalprosthetics

##### **Disadvised uses:**

Impressions  
Prosthesis Plastic  
Filling Material

#### **1.3 Details of the Supplier of the safety data sheet:**

##### **Manufacturer/Company:**

**Klasse 4 Dental GmbH**

##### **Street:**

Bismarckstraße 21

##### **Zip-Code / Town**

D-86159 Augsburg

##### **Contact for technical information**

+49 (0) 821 / 6089140

##### **Phone / Fax / E-Mail**

+49 (0) 821 / 608914 0 / +49 (0) 821 / 608914 10 / [info@klasse4.de](mailto:info@klasse4.de)

#### **1.4 Emergency number**

##### **Emergency information (24 hours)**

Christian Kramer  
Phone: +49 (0) 171 7511570

## Material Safety Data Sheet according to decree (EG) No. 1272 / 2008

Revision: 16  
Revision Date: 27.03.2019

Page 2 of 10

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture:

**According to Regulation (EC) No. 1272/2008:**

- Skin sens. 1 (may cause allergical reactions)

#### 2.2 Label elements

**Labelling according to Regulation 1272/2008 (GHS/CLP)**



Warning

H317	may cause skin irritations
P272	Contaminated work clothing should not wear outside the workplace
P280	Wear protective gloves/protective clothing/ eye protection/ face protection
P302	In contact with skin:
P352	Flush with plenty of water and soap
P333	When skin irritation or rash occurs:
P313	Seek medical advice resp. medical attendance P362
	Take off contaminated clothing and wash before wearing again
P364	wash before wearing again
P501	Ingredients/container have to be disposed in accordance with local/regional/national/ international regulations

#### 2.3 Additional hazards:

- Can become warm during light curing process
- Do not use if known allergy against Acrylates and Methacrylates

## Material Safety Data Sheet

### according to decree (EG) No. 1272 / 2008

Revision: 16  
Revision Date: 27.03.2019

Page 3 of 10

### 3. Composition/Information on Ingredients

**Chemical characterization:**  
**Hazardous ingredients:**

Ingredients	CAS-No./ EINECS-No./ EG-No.	Percentage (%)	Identification
Triethylenglykoldi-methacrylate	CAS-No. 109-16-0 EINECS-No.203-652-6	2-5	Skin Sens. 1B H317 Skin sensitisation
Phosphine oxide	CAS-No. 75980-60-8 EG-No. 278-355-8	0,05 – 0,1	Repr 2 H361f suspected human carcinogen; probably harmful to fertility, probably damaging effect on the unborn child Aqu. Chron. 3, H412 hazardous to the aquatic environment, chronic
Vinylester Resin	CAS Nr. 55818-57-0	5-8	Skin Sens. 1B H317 Skin sensitisation

### 4. First-Aid-Measures

#### 4.1 Description of first aid measures If inhaled:

Take person to fresh air.  
No further first aid measures are required.

#### In case of skin contact:

Wash off skin with soap and water and flush with plenty of Water. Contact a physician if the skin is irritated.

#### In case of eye contact:

Rinse open eyes an efficient time with plenty of Water.  
Contact ophthalmologist if irritation is persisting.

#### If swallowed:

Seek medical advice immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Sensitization of skin is possible

#### 4.3 Indication of any immediate medical attention and special treatment needed

Contact physician if sensitization of skin is persisting

## **Material Safety Data Sheet** **according to decree (EG) No. 1272 / 2008**

Revision: 16  
Revision Date: 27.03.2019

Page 4 of 10

### **5. Fire-Fighting-Measures**

#### **5.1 Extinguishing media**

Suitable extinguishing media:  
Foam, Dry powder, carbon dioxide, waterspray-stream.  
Adjust fire-fighting-measures to ambience.

For safety reasons unsuitable extinguishing media: none

#### **5.2 Special hazards arising from the substance or mixture**

Particular danger through the product itself, its combustion products or gases are not known

#### **5.3 Advice for fire-fighters**

Use conventional measures to combat chemical fires, that means use self-contained breathing apparatus (isolating-unit).

### **6. Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures:**

Arrange for fresh air.

#### **6.2 Environmental protection measures:**

Do not drain into canalization.

#### **6.3 Methods for cleaning / absorption:**

Pick up material mechanically. Dispose only complete light cured material. Dispose material under adherence to the local official rules for hazardous wastes.

#### **6.4 Reference to other sections**

None

### **7. Handling and Storage**

#### **7.1 Precautions for safe handling:**

##### **Recommendation:**

The conventional precautions for works with chemicals are to be adhered. Wear overall while working.

##### **Information about fire- and explosion protection:**

No special measures necessary.

#### **7.2 Conditions for safe storage, including any incompatibilities:**

Store at a cool, dry and light protected place.  
Storage time: 3 years if storage conditions will be kept

#### **7.3 Specific end use(s)**

Wear gloves while working.  
Good ventilation during grinding the cured material is recommended

## Material Safety Data Sheet according to decree (EG) No. 1272 / 2008

Revision: 16  
Revision Date: 27.03.2019

Page 5 of 10

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

None known

PNCE and DNCL-Values as to be possibly worked out in a preparation safety report do not exist.

#### 8.2 Exposure controls

Personal protective equipment::

Pay attention of protection- and hygienic measures. Protection clothes must be stored separately. The usual precaution measures must be attended.

Breathing protection:

not necessary

Eye protection:

Wear protection goggles when working at material

Hand protection:

Sensibilisation: Wearing of applicable protection gloves is recommended. (by experience of the past/literature) for example Ethiparat®-gloves for 5- 10 minutes, application of No-touch-Technik, minimal-contact-techniques is recommended

Body protection:

Wear business usual protection clothes.

Other protection measures:

none

Advices for hygienic at work station:

Comply business usual protection- and hygienic measures.

Preventive skin protection.

Wash hands and skin after finishing work.

### 9. Physical and chemical Properties

#### 9.1 Information on basic physical and chemical properties

All Information are for the Acrylate Resin, except point the appearance

**Appearance:**

Form: upper jaw and lower jaw pattern, kneadable mass

**Odour/Flavour:**

acrylates / methacrylates

**Odour Threshold:**

no data available

**pH-level:**

no data available

**Melting point/freezing point:**

no data available

**Initial boiling point**

no data available

**and boiling range:**

not available (approx. > 100°C)

**Flash point:**

appreciated by the flash point of the ingredients

**Evapouration rate**

no data available

**Flammability:**

no data available

**Upper/lower flammability or explosive limits:**

no data available

**Vapour pressure**

no data available

**Vapour density:**

no data available

**Relative density:**

no data available

## Material Safety Data Sheet according to decree (EG) No. 1272 / 2008

Revision: 16  
Revision Date: 27.03.2019

Page 6 of 10

<b>Water solubility:</b>	unsoluble in water
<b>Partition coefficient:</b>	
<b>n-Octanol/water:</b>	no data available
<b>Auto ignition temperature:</b>	no data available
<b>Decomposition temperature:</b>	no data available
<b>Viscosity:</b>	no data available
<b>Explosive properties</b>	no data available
<b>Oxidizing properties</b>	no data available
<b>9.2 Other safety information:</b>	no data available

### 10. Stability and reactivity

#### 10.1 Reactivity

Product polymerizes slowly by contact with Sunlight or other Light

#### 10.2 Chemical stability

If protected against heat, solar radiation and light the material is chemical stable.

#### 10.3 Possibility of hazardous reactions

No hazardous heat emission during slow polymerizing

#### 10.4 Conditions to avoid

Protect against Sunlight, heat and other light to avoid slowly polymerization.

#### 10.5 Incompatible materials

Protect against radical formers to avoid slowly polymerization

#### 10.6 Hazardous decomposition products:

None, if used according to directions.

After considerably exceedance of storage time and / or exceedance of storage temperature it is possible that the product starts polymerizing under low heat impact.

## **Material Safety Data Sheet** **according to decree (EG) No. 1272 / 2008**

Revision: 16  
Revision Date: 27.03.2019

Page 7 of 10

### **11. Toxicological information**

#### **11.1 Information of toxicological effects**

##### **Acute Toxicity**

According to the single ingredients the mixture is not acute toxic

##### **Skin corrosion/irritation**

No irritation to skin

##### **Serious eye damage/eye irritation**

No irritation to eyes

##### **Respiratory or skin irritation**

No irritation to Respiratory or skin

##### **Skin sensitisation**

Skin sensitisation possible according to the ingredients

##### **Toxicity – repeated exposure**

No toxicity known after repeated exposure

##### **Germ cell mutagenicity**

##### **Carcinogenicity**

No carcinogenicity according to the ingredients

##### **Mutagenicity**

No mutagenicity according to the ingredients

##### **Reproductive toxicity**

No reproductive toxicity according to the concentration of the single components.

##### **Kinetic of the toxic reaction**

According the new Material Safety Data Sheet according to REACH, specifications about kinetic of the toxic reaction, metabolism of the substance and allocation of the substance in the human body must be mentioned at this place. Data for this is not available .

##### **Further Information**

By appropriate exposure and conventionally use and to our experiences and informations the product causes no hazardous effects.

The product has to handled with the usual care when handling chemicals. Methacrylates may cause allergical reactions.

## **Material Safety Data Sheet**

### **according to decree (EG) No. 1272 / 2008**

Revision: 16  
Revision Date: 27.03.2019

Page 8 of 10

## **12. Ecological information**

### **12.1 Toxicity**

Fish toxicity: no data available for this mixture  
Water organism: no data available  
Bacteria toxicity: no data available

### **12.2 Persistence and degradability**

The ingredients of the mixture are not degradable

### **12.3 Bioaccumulation potential:**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Effect of the determination of the PTB- and vPvB-Report:**

If the material causes hormonal effects or prevents them is unknown to us.

### **12.6 Other adverse effects**

No data available

## **13. Disposal considerations**

### **13.1 Waste treatment methods**

To dispose of accordingly with notice of the local regulations of authority. Do not empty into drains.

#### **Disposal key according to AVV regulation**

16 03 05 (organic disposal, that contains hazardous substances)

#### **Package**

Packages that are not contaminated can be recycled.

## **14. Transport information/rules**

### **14.1 UN number**

none

### **14.2 UN proper shipping name**

none

### **14.3 Transport hazard class(es)**

none

### **14.4 Packaging group**

none

### **14.5 Environmental hazards**

none

### **14.6 Special precautions for Transport**

none

### **14.7 Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code**

no



## Material Safety Data Sheet according to decree (EG) No. 1272 / 2008

Revision: 16  
Revision Date: 27.03.2019

Page 9 of 10

### 15. Regulatory Information

#### 15.1 Safety health and environmental/legislation specific for the substances or mixture

##### GHS-Labeling according to guideline 1272/2008 (GHS/CL)



Warning

H317	may cause skin irritations
P272	Contaminated work clothing should not wear outside the workplace
P280	Wear protective gloves/protective clothing/eye protection/ face protection
P302	In contact with skin:
P352	Flush with plenty of water and soap
P333	When skin irritation or rash occurs:
P313	Seek medical advice resp. medical attendance P362 Take off contaminated clothing and wash before wearing again
P364	wash before wearing again
P501	ingredients/container have to be disposed in accordance with local/regional/national/international regulations

#### 15.2 Safety Assessments

Safety Assessments for substances in this preparation were not executed

## **Material Safety Data Sheet** **according to decree (EG) No. 1272 / 2008**

Revision: 16  
Revision Date: 27.03.2019

Page 10 of 10

### **16. Other information**

#### **Further applicable EG Guidelines**

Guideline for preparation (1999/45/EC), at last changed by the guideline 2006/8/EC.  
Substance Guideline (67/548/EWG), at last changed by the guideline 2006/121 EC. REACH-Guideline (EC) No. 1907/2006

#### **Manufacturer's suggested application restriction:**

Only for commercial use – no public product

#### **H-phrases on which is referred in chapter 2 and 3**

H317            May cause an allergic skin reaction  
H361f          May impair fertility  
H412            Harmful to aquatic life with long lasting effects.

#### **Changes compared to the last version**

Change of Labelling according GHS-Labelling

#### **Additional Information:**

Origin: <sup>1</sup> <http://www.baua.de>

<sup>2</sup> <http://www.arbeitssicherheit.de>

Some of the information presented and conclusions drawn herein are from sources other than direct test-data on the product itself.

The contents and format of this MSDS are in accordance with EEC Commission (EC) No. 1907 / 2006.

#### **Disclaimer of Liability**

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.